OPR 405375 110 PRIORITY **X**? LG CC DO PT~00111 1. DC DZ PTTUZYUW RUWJSLC0143 0060412-UUUU--RUHHABA. AC Db OI HC JΛ IG SG DOC ZHE UUUUU JAN -5'73 0950 DOL CSP **CSH** P 052120Z JAN 73 BASE/TRUSHT UNITS FM USAEC/WALTER NERVIK/ENIWETOK MI TO RHWNEAAZUSAECZNVOOZM E GATESZLAS VEGAS NEV 100 OS3 INFO RHEGAAA/USAEC/DOS/T MCCRAW/GERMANTOWN MD RHWNEARZUNIV OF CALIFZLLLZW NERVIKZLIVERMORE CA RHEGAAAZUSAECZDIR OS STNDSZE HELDZBETHESDA MD TUHHABA/USAEC/PASO/W HILLE/HONOLULU HI 16 1973 BT JAN 8 UNCLAS ENIWETOK SURVEY PHASE III STATUS REPORT NO 1 PHASE III SURVEY GROUPS ARRIVED ENIMETOK JAN 3 D HI Action ☐ Infe VIA CAPITOL FLIGHT 035. ISLAND SUPPORT SATISFACTORY ROUTING BUT MARGINAL, WITH SOLAR GENERATORS PRODUCING ONLY DIRECTORUSEIII 60 PERCENT OF PATEU POWER AND DISTILLATION UNITS ADM. ENGRALL CONTINUING TO OPERATE UNDER SCOTCH TAPE AND BALING WIRE MAINTENANCE CONDITIONS. ISLAND PUPULATION NOW PROJ. ENGR. 108 PLUS COAST GUARD LORAN STATION COMPLEMENT (108 SECRETARY INCLUDES SITE SUPPORT, AEC SURVEY, UNIV OF HAWAII/ Marchan EMBL, AND PACE EQUIPMENT MAINTENANCE GROUPS). POWER SEND COPY TO: IS ADEQUATE, WATER IS NOT RATIONAL, AND SUFFICIENT V TRUNCTION NV H&N PAGE 2 RUWJSLC0017 UNCLAS HOUSING IS AVAILABLE: BUT ALL RESIDENTS AND VISITORS J.A. HAVE BEEN CAUTIONED TO BE FRUGAL IN THEIR USE OF Other RESOURCES. ALL BOATS ARE OPERABLE. JAN 3 WAS SPENT CHECKING GEAR IN READINESS FOR RESUMPTION OF SAMPLING OPERATIONS OH JAN 4. WARMER CONDITIONS HAVE BEEN GOOD BUT IT IS CLEAR THAT STEADY WINDS BETWEEN 20 AND 25 MPH WILL HAVE A MAJOR IMPACT ON OUR ABILITY TO GO ASHORE USING THE RUBBER LIFE RAFTS. ON JAN 4 THE SOIL SAMPLING GROUP (4 THREE MAN TEAMS) COMPLETED ALL SAMPLING ON DAVID EXCEPT FOR PROFILES. PROFILES WILL BE TAKEN AS SOON AS A BACK-HOE CAN BE SUBJECT FILE PUT ASHORE. THE TERRESTRIAL BIOTA GROUP (FIVE PEOPLE) STARTED SAMPLING ON ELMER. THE PAN ENGINEERING SUPPORT GROUP MOVED THEIR EQUIPMENT TRUCK ASHORE ON JANET (HIGH TIDE WAS AT 1600) IN PREPARATION FOR RESUMPTION OF ACTIVITIES ON JAN 6. END OF PHASE III STATUS REPORT NO 1. BT #0143 REPOSITORY -N/1NN≠ · BEST COPY AVAILABLE COLLECTION -BOX No.